

BALANCE (pre-fattening)

COMPLETE EXTRUDED FEED FOR PRE-FATTENING CAVIAR AND MEAT STURGEON.

Extruded feeds, specifically formulated for pre-fattening phase, both in caviar and meat sturgeon farming. Fully sinking feeds, with low fat level and medium/high protein level. These feeds contain **LAPs (Land Animal Products)** and ensure a very high water stability, in order to meet the needs of sturgeon farming.

Chemical-Nutritional values (as fed)

| | BALANCE 2 | BALANCE 3 | BALANCE 4 | BALANCE 6 |
|-------------------------|-----------|-----------|-----------|-----------|
| Granulometry mm | 2,3-2,6 | 3,6-4,6 | 4,6 - 5,6 | 6,4 - 7,4 |
| Protein % | 45,00 | 45,00 | 45,00 | 45,00 |
| Fats % | 16,00 | 16,00 | 16,00 | 16,00 |
| Fibre % | 3,40 | 3,40 | 3,40 | 3,40 |
| Ashes % | 9,90 | 9,90 | 9,90 | 9,90 |
| Carbohydrates % | 16,70 | 16,70 | 16,70 | 16,70 |
| Phosphorus % | 1,30 | 1,30 | 1,30 | 1,30 |
| Vitamin C mg/kg | 230 | 230 | 230 | 230 |
| Vitamin E mg/kg | 200 | 200 | 200 | 200 |
| Digestible Energy mj/kg | 17,20 | 17,20 | 17,20 | 17,20 |

FEEDING CHART

| <i>Daily amount advised in % on live weight, related to water temperature</i> | | | | | | | | | |
|---|--------------|-------|-------|-------|-------|-------|-------|-------|-------------|
| Fish weight (gr) | Type of feed | 12° C | 15° C | 18° C | 21° C | 24° C | 26° C | 28° C | n. of meals |
| 180 - 400 | BALANCE 2 | 0,5 | 0,6 | 0,7 | 0,8 | 1,0 | 1,1 | 0,7 | 1-2 |
| 300 - 2.000 | BALANCE 3 | 0,4 | 0,5 | 0,6 | 0,7 | 0,9 | 1,0 | 0,6 | 1-2 |
| 1.800 - 5.000 | BALANCE 4 | 0,25 | 0,3 | 0,5 | 0,6 | 0,7 | 0,8 | 0,5 | 1-2 |
| 4.000 - 12.000 | BALANCE 6 | 0,15 | 0,2 | 0,3 | 0,5 | 0,6 | 0,7 | 0,4 | 1-2 |

All the values in the chart are indicative and may vary according to fish health and breeding density. Please contact our Technical Veterinarian Service before varying the feeding program, in order to avoid problems in breeding and in final product quality.

www.fishfeed.eu

