

### Chemical-Nutritional values (as fed)

|                         | ECOSTART<br>0.2 | ECOSTART<br>0.4 | ECOSTART<br>0.6 |
|-------------------------|-----------------|-----------------|-----------------|
| Granulometry mm         | 0.20 – 0.40     | 0.45 – 0.65     | 0.70 – 0.90     |
| Protein %               | 62,00           | 62,00           | 62,00           |
| Fats %                  | 12,00           | 12,00           | 12,00           |
| Fibre %                 | 0,70            | 0,70            | 0,70            |
| Ashes %                 | 8,80            | 8,80            | 8,80            |
| Carbohydrates %         | 7,50            | 7,50            | 7,50            |
| Phosphorus %            | 1,25            | 1,25            | 1,25            |
| Vitamin C mg/kg         | 1000            | 1000            | 1000            |
| Vitamin E mg/kg         | 850             | 850             | 850             |
| Digestible Energy mj/kg | 18,80           | 18,80           | 18,80           |

### FEEDING CHART

| <i>Daily amount advised in % on live weight, related to water temperature</i> |                     |            |            |            |            |            |            |            |             |
|---|---------------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| Fish weight (gr)  | Type of feed        | 6° C       | 8° C       | 10° C      | 12° C      | 14° C      | 16° C      | 18° C      | n. of meals |
| 0.1 – 0.4   | <b>ECOSTART 0.2</b> | ad libitum | ad libitum | ad libitum | ad libitum | ad libitum | ad libitum | ad libitum | continuous  |
| 0.3 – 0.7   | <b>ECOSTART 0.4</b> | 3          | 3.4        | 3.6        | 4.1        | 4.5        | 4.7        | 3.6        | continuous  |
| 0.5 – 1.2   | <b>ECOSTART 0.6</b> | 2.7        | 3.1        | 3.3        | 3.8        | 4.2        | 4.4        | 3.3        | continuous  |

*All the values in the chart are indicative and may vary according to fish health and breeding density. Please contact our Technical Veterinarian Service before varying the feeding program, in order to avoid problems in breeding and in final product quality.*

